Customer No. 035884

In re application of:

Keun-Ho Lee

Serial No:

09/995,450

Filed:

November 27, 2001

For:

METHOD OF MAKING BALLOON CATHETER

Art Unit: Examiner: 1732

E. H. Lee

RECEIVED

Attorney Docket: 2008-3-14

IAN 0 5 2004 TC 1700

Mail Stop AF Commissioner for Patents P. O. Box 1450 Alexandria, VA 22313-1450

Sir:

Transmitted herewith is an AMENDMENT in the above-identified application.

\boxtimes	Small entity status of this application under 37 CFR 1.9 and 1.27 has been established by a verified state	ment
	previously submitted.	
	Certified copies of Patent Applications Nos., from which priority is claimed under 35 U.S.C. § 119, are enclosed.	•
	An information disclosure statement in accordance with 37 CFR 1.56 and 1.97 is enclosed.	
$\overline{\boxtimes}$	No additional fee is required.	

The fee has been calculated as shown below:

	(Col. 1) CLAIMS REMAINING AFTER AMENDMENT		(Col. 2) HIGHEST NUMBE PREVIOUSLY PAID		(Col. 3) PRESENT EXTRA*	LG/SM \$ ENTITY FEE		ADD'L FEE DUE	
TOTAL CLAIMS FEE	6	-	20	**	0	LG=\$18 SM=\$9	\$9	\$	0
INDEPENDENT CLAIMS FEE	1] -	. 3	***	0	LG=\$86 SM=\$43	\$43	\$	0
FIRST PRESENTATION OF MULTIPLE DEPENDENT CLAIMS LARGE ENTITY FEE = \$280 SMALL ENTITY FEE = \$140									
						Т	OTAL	\$	0

A check in the amount of \$ to cover the filing fee is enclosed. A check in the amount of \$_____ to cover the extension fee is enclosed. ____ to cover the information disclosure statement fee is enclosed. A check in the amount of \$_ to cover the petition fee is enclosed. A check in the amount of \$

The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. 502290.

Any filing fees under 37 CFR 1.16 for the presentation of extra claims.

冈 Any patent application processing fees under 37 CFR 1.17.

Respectfully submitted,

Lee, Hong, Degerman, Kang & Schmadeka

Date: December 23, 2003

Customer No. 035884

Registration No. 50,176 Attorney for Applicant(s)

Lee, Hong, Degerman, Kang & Schmadeka 801 S. Figueroa Street, 14th Floor

Los Angeles, California 90017 Telephone: 213-623-2221 Facsimile: 213-623-2211

If the entry in Coi. 1 is less than the entry in Col. 2, write "0" in Col. 3.

If the "Highest Number Previously Paid For" IN THIS SPACE is less than 20, write "20" in this space.

If the "Highest Number Previously Paid For" IN THIS SPACE is less than 3, write "3" in this space.

The "Highest Number Previously Paid For" (Total or Independent) is the highest number found from the equivalent box on Col. 1 of a prior amendment or the number of claims originally filed.

Customer No. 035884

Attorney Docket No. 2008-3 4/VED

I hereby certify that this correspondence is being deposited with the

United States Postal Service with

Alexandria, VA 22313-1450, on

December 23, 2003

Date of Deposit

sufficient postage as first class mail in an envelope addressed to:
Commissioner for Patents

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE OF 2004

Art Unit:

Examiner:

re application of:

Keun-Ho Lee

Serial No:

09/995,450

Filed:

DEC 2 9 2003

November 27, 2001

For:

METHOD FOR MAKING BALLOON

CATHETER

AMENDMENT AFTER FINAL OFFICE ACTION UNDER 37 C.F.R. § 1.116

Mail Stop AF Commissioner for Patents P. O. Box 1450 Alexandria, VA 22313-1450 ----

Amit Sheth Name

P.O. Box 1450

1732

E. H. Lee

Signature

12/23/2003 Date

Dear Sir:

Introductory Comments:

This is in response to the Final Office Action dated September 23, 2003, in connection with the above-identified application. Claims 1-8 are pending in the current application and have been rejected under 35 U.S.C. § 112, first and second paragraphs. The specification originally filed was objected to for lack of proper idiomatic English. A substitute specification was filed in response to the Office Action dated March 27, 2003, but was not accepted for failing to conform to 37 C.F.R. § 1.125.

This application is amended by the virtue of this response pursuant to 37 C.F.R. § 1.121. Please substitute the enclosed substitute specification which does not contain any new matter, for the original specification filed with the application. A marked up version of the substitute specification is provided for the Examiner's reference. Please cancel claims 3 and 4, and amend claims 1, 6 and 8. The consideration of the substitute specification, amended claims and the remarks provided below are respectfully requested.